ELSEVIER

Forensic Science International
Vol. 196, Nos. 1–3, 20th March 2010

Forensic Science International

www.elsevier.com/locate/forsciint

Contents

Abstracted in: *Biological Abstracts: Bulletin Signaletique: CABS (Current Awareness in Biological Sciences); Cambridge Scientific Abstracts; Chemical Abstracts: Criminology, Penology and Police Science Abstracts; Current Contents; EMBASE/Excerpta Medica; Medline/Index Medicus; National Criminal Justice Reference Service; Police Science Abstract; Science Citation Index; PubMed; Scopus.*

Special Issue: Proceedings of the Society of Hair Testing Meeting, Rome, 14–16th June 2009

Editorial
P. Kintz 1–1
Consensus of the Society of Hair Testing on hair testing for chronic excessive alcohol consumption 2009
P. Kintz 2–2
Validation of a headspace solid-phase microextraction–GC–MS/MS for the determination of ethyl glucuronide in hair according to forensic guidelines
R. Agius, T. Nadulski, H.-G. Kahl, J. Schräder, B. Dufaux, M. Yegles and F. Pragst 3–9
Hair analysis for Δ9-tetrahydrocannabinolic acid A—New insights into the mechanism of drug incorporation of cannabinoids into hair
V. Auwärter, A. Wohlfarth, J. Traber, D. Thieme and W. Weinmann 10–13
A tendency for re-offending in drug-facilitated crime
M. Chèze, A. Muckensturm, G. Hoizey, G. Pépin and M. Deveaux 14–17
High throughput analysis of drugs of abuse in hair by combining purposely designed sample extraction compatible with immunometric methods used for drug testing in urine
R. de la Torre, E. Civit, F. Svaizer, A. Lotti, M. Gottardi and M. Miozzo 18–21
Exposure to psychoactive substances in women who request voluntary termination of pregnancy assessed by serum and hair testing
M. Falcon, F. Valero, M. Pellegrini, M.C. Rotolo, G. Scaravelli, J. Joya, O. Vall, O.G. Algar, A. Luna and S. Pichini 22–26
Prenatal hair development: Implications for drug exposure determination
J. Gareri and G. Koren 27–31
An assessment of cortisol analysis in hair and its clinical applications
R. Gow, S. Thomson, M. Rieder, S. Van Uum and G. Koren 32–37
Gas chromatography–mass spectrometry assay for the simultaneous quantification of drugs of abuse in human placenta at 12th week of gestation
X. Joya, M. Pujadas, M. Falcón, E. Civit, O. Garcia-Algar, O. Vall, S. Pichini, A. Luna and R. de la Torre 38–42
Rapid and simple determination of psychotropic phenylalkylamine derivatives in human hair by gas chromatography–mass spectrometry using micro-pulverized extraction
J.Y. Kim, S.H. Shin, J.I. Lee and M.K. In 43–50
Interpretation of hair findings in children after methadone poisoning
P. Kintz, J. Evans, M. Villain and V. Cirimele 51–54
Hair analysis for drugs in driver's license regranting. A Swedish pilot study
R. Kronstrand, I. Nyström, M. Forsman and K. Käll 55–58
Pharmacokinetics of methylphenidate in oral fluid and sweat of a pediatric subject
E. Marchei, M. Farrè, M. Pellegrini, Ó. García-Algar, O. Vall, R. Pacifici and S. Pichini 59–63
Solid-phase microextraction for the detection of codeine, morphine and 6-monoacetylmorphine in human hair by gas chromatography–mass spectrometry
M. Moller, K. Aleksa, P. Walasek, T. Karaskov and G. Koren 64–69
Semi-quantitative analysis of drugs of abuse, including tetrahydrocannabinol in hair using aqueous extraction and immunoassay
C. Coulter, J. Tuyay, M. Taruc and C. Moore 70–73

(Contents continued on page I)

0379-0738(20100320)196:1/3;1-T

08021

ELSEVIER

Forensic Science International
Vol. 196, Nos. 1–3, 20th March 2010

Forensic Science International

www.elsevier.com/locate/forsciint

Contents

Abstracted in: *Biological Abstracts: Bulletin Signaletique: CABS (Current Awareness in Biological Sciences); Cambridge Scientific Abstracts; Chemical Abstracts: Criminology, Penology and Police Science Abstracts; Current Contents; EMBASE/Excerpta Medica; Medline/Index Medicus; National Criminal Justice Reference Service; Police Science Abstract; Science Citation Index; PubMed; Scopus.*

Special Issue: Proceedings of the Society of Hair Testing Meeting, Rome, 14–16th June 2009

Editorial
P. Kintz 1–1
Consensus of the Society of Hair Testing on hair testing for chronic excessive alcohol consumption 2009
P. Kintz 2–2
Validation of a headspace solid-phase microextraction–GC–MS/MS for the determination of ethyl glucuronide in hair according to forensic guidelines
R. Agius, T. Nadulski, H.-G. Kahl, J. Schräder, B. Dufaux, M. Yegles and F. Pragst 3–9
Hair analysis for Δ9-tetrahydrocannabinolic acid A—New insights into the mechanism of drug incorporation of cannabinoids into hair
V. Auwärter, A. Wohlfarth, J. Traber, D. Thieme and W. Weinmann 10–13
A tendency for re-offending in drug-facilitated crime
M. Chèze, A. Muckensturm, G. Hoizey, G. Pépin and M. Deveaux 14–17
High throughput analysis of drugs of abuse in hair by combining purposely designed sample extraction compatible with immunometric methods used for drug testing in urine
R. de la Torre, E. Civit, F. Svaizer, A. Lotti, M. Gottardi and M. Miozzo 18–21
Exposure to psychoactive substances in women who request voluntary termination of pregnancy assessed by serum and hair testing
M. Falcon, F. Valero, M. Pellegrini, M.C. Rotolo, G. Scaravelli, J. Joya, O. Vall, O.G. Algar, A. Luna and S. Pichini 22–26
Prenatal hair development: Implications for drug exposure determination
J. Gareri and G. Koren 27–31
An assessment of cortisol analysis in hair and its clinical applications
R. Gow, S. Thomson, M. Rieder, S. Van Uum and G. Koren 32–37
Gas chromatography–mass spectrometry assay for the simultaneous quantification of drugs of abuse in human placenta at 12th week of gestation
X. Joya, M. Pujadas, M. Falcón, E. Civit, O. Garcia-Algar, O. Vall, S. Pichini, A. Luna and R. de la Torre 38–42
Rapid and simple determination of psychotropic phenylalkylamine derivatives in human hair by gas chromatography–mass spectrometry using micro-pulverized extraction
J.Y. Kim, S.H. Shin, J.I. Lee and M.K. In 43–50
Interpretation of hair findings in children after methadone poisoning
P. Kintz, J. Evans, M. Villain and V. Cirimele 51–54
Hair analysis for drugs in driver's license regranting. A Swedish pilot study
R. Kronstrand, I. Nyström, M. Forsman and K. Käll 55–58
Pharmacokinetics of methylphenidate in oral fluid and sweat of a pediatric subject
E. Marchei, M. Farrè, M. Pellegrini, Ó. García-Algar, O. Vall, R. Pacifici and S. Pichini 59–63
Solid-phase microextraction for the detection of codeine, morphine and 6-monoacetylmorphine in human hair by gas chromatography–mass spectrometry
M. Moller, K. Aleksa, P. Walasek, T. Karaskov and G. Koren 64–69
Semi-quantitative analysis of drugs of abuse, including tetrahydrocannabinol in hair using aqueous extraction and immunoassay
C. Coulter, J. Tuyay, M. Taruc and C. Moore 70–73

(Contents continued on page I)

0379-0738(20100320)196:1/3;1-T

08021

(Contents continued from outside back cover)

Ethyl glucuronide and ethyl sulfate in meconium and hair-potential biomarkers of intrauterine exposure to ethanol
L. Morini, E. Marchei, F. Vagnarelli, O. Garcia Algar, A. Groppi, L. Mastrobattista and S. Pichini 74–77
11-Nor-Δ^9-tetrahydrocannabinol-9-carboxylic acid ethyl ester (THC-COOEt): Unsuccessful search for a marker of combined cannabis and alcohol consumption
T. Nadulski, S. Bleeck, J. Schräder, W.-R. Bork and F. Pragst 78–84
Simultaneous screening and quantification of 52 common pharmaceuticals and drugs of abuse in hair using UPLC–TOF-MS
M.K.K. Nielsen, S.S. Johansen, P.W. Dalsgaard and K. Linnet 85–92
Changes in antidepressant metabolism in pregnancy evidenced by metabolic ratios in hair: A novel approach
L. O'Brien, C. Baumer, D. Thieme, H. Sachs and G. Koren 93–96
Assessment of exposure to environmental tobacco smoke in young adolescents following implementation of smoke-free policy in Italy
M. Pellegrini, M.C. Rotolo, S. La Grutta, F. Cibella, O. Garcia-Algar, A. Bacosi, G. Cuttitta, R. Pacifici and S. Pichini 97–100
Combined use of fatty acid ethyl esters and ethyl glucuronide in hair for diagnosis of alcohol abuse: Interpretation and advantages
F. Pragst, M. Rothe, B. Moench, M. Hastedt, S. Herre and D. Simmert 101–110
Fatty acid ethyl ester concentrations in hair and self-reported alcohol consumption in 644 cases from different origin
S. Süße, C.M. Selavka, T. Mieczkowski and F. Pragst 111–117
Buprenorphine detection in hair samples by immunometric screening test: Preliminary experience
F. Svaizer, A. Lotti, M. Gottardi and M.P. Miozzo 118–120
Ethyl glucuronide determination in meconium and hair by hydrophilic interaction liquid chromatography–tandem mass spectrometry
I. Tarcomnicu, A.L.N. van Nuijs, K. Aerts, M. De Doncker, A. Covaci and H. Neels 121–127
Heroin markers in hair of a narcotic police officer: Active or passive exposure?
M. Villain, J.-F. Muller and P. Kintz 128–129